

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S209	42	S208 WITH send\$3 WITH request	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:49
S208	1817	media ADJ gateway	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:50
S211	1	active ADJ media ADJ gateway	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:52
S212	1	active ADJ media ADJ connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:53
S210	13	S209 AND SIP	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:54
S213	4	active NEAR3 (media ADJ connection)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:54
S214	4299	(media ADJ connection)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:54
S215	53	S208 AND S214	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:54
S216	31	S215 AND SIP	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 16:54

S21 7	3	S216 AND @ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/16 17:22
S21 8	81	(call NEAR server)SAME (media ADJ gateway)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:27
S22 1	18855	((call NEAR server)OR server)SAME ((switch)OR(media ADJ gateway))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:30
S22 2	7447	S221 AND S219	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:30
S22 4	306	S222 AND S223	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:31
S22 6	47	((active OR on\$1going)NEAR3 connection)SAME gateway SAME packet	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:42
S22 0	17	S218 AND S219	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:43
S22 7	15	S226 AND S219	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 12:43
S22 3	13268	(active OR on\$1going)NEAR3 connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:23

S22 8	2	S223 SAME MGCP	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:33
S22 9	0	active NEAR2 connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:34
S23 1	3	S230 SAME MIB	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:34
S23 0	9353	active NEAR2 connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:43
S23 4	1697	SEND\$3 with REQUEST with (GATEWAY or (MEDIA adj GATEWAY))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:50
S22 5	14	S224 AND (SIP OR SDP OR VoIP)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:51
S23 6	270	S234 AND (SIP OR SDP OR VoIP)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:51
S23 7	61	S236 and S219	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 13:51
S23 9	3	S237 and (ACTIVE with CONNECTION)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:44

S24 0	141	((media ADJ gateway)OR gateway)SAME ((active OR on\$going)NEAR2 connection)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:46
S24 3	15	((media ADJ gateway)OR gateway)SAME ((active OR on\$going)NEAR2 connection)AND (SIP OR SDP OR VoIP OR MGCP)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:50
S24 4	1	gateway WITH provid\$3 WITH (active OR on\$going)WITH connection WITH (information OR parameter)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:53
S24 5	7	(gateway OR switch OR router) WITH provid\$3 WITH (active OR on\$going)WITH connection WITH (information OR parameter)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:56
S24 6	7	((circuit NEAR2 switch)OR (IP NEAR2 gateway) OR gateway OR switch OR router) WITH provid\$3 WITH (active OR on\$going)WITH connection WITH (information OR parameter)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:58
S24 7	21	((circuit NEAR2 switch)OR (IP NEAR2 gateway) OR gateway OR switch OR router) WITH (provid\$3 OR transmit\$4)WITH (active OR on\$going)WITH connection WITH (information OR parameter)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 14:58
S24 8	16	S247 AND S219	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 15:03
S25 2	290	VoIP SAME media NEAR gateway	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 15:05
S25 3	5580	active NEAR connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 15:06

S25 5	7	S252 AND S253	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/02/17 15:14
S25 6	5	intelligent media gateway	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/02/17 15:47
S25 7	2	(call NEAR2 (manager OR server))WITH request\$3 WITH ((media NEAR2 gateway)OR router OR gateway)WITH (active OR (real NEAR2 time)OR continu\$3 OR ongoing)WITH (connection OR session)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 18:56
S25 9	1969785 3	@ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 18:58
S25 8	34	(call NEAR2 (manager OR server))SAME request\$3 SAME ((media NEAR2 gateway)OR router OR gateway)SAME (active OR (real NEAR2 time)OR continu\$3 OR ongoing)SAME (connection OR session)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 19:22
S26 1	3467	(call NEAR2 (manager OR server))AND request\$3 AND ((media NEAR2 gateway)OR router OR gateway)AND (active OR (real NEAR2 time)OR continu\$3 OR ongoing)AND (connection OR session)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 19:23
S26 2	7	S261 AND (intelligent NEAR gateway)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 19:23
S26 0	22	S258 AND S259	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 19:24

S26 3	1	S262 AND S259	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/03/21 19:25
S26 5	14	(send\$3 OR query\$3 request\$3 OR demand\$3 OR command\$3) (media NEAR2 gateway) WITH (lively OR active OR continuing OR current OR ongoing OR exist\$3 OR present OR in\$1progress OR (real NEAR2 time)) (connection OR session OR conference OR link OR communication) (data OR information OR record)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 15:48
S26 4	1	(send\$3 OR query\$3 request\$3 OR demand\$3 OR command\$3) (media NEAR2 gateway) WITH (lively OR active OR continuing OR current OR ongoing OR exist\$3 OR present OR in\$1progress OR (real NEAR2 time)) (connection OR session OR conference OR link OR communication) (data OR information OR record)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/08 16:26
S26 6	134	(send\$3 OR query\$3 request\$3 OR demand\$3 OR command\$3) (media NEAR2 gateway) (lively OR active OR continuing OR current OR ongoing OR exist\$3 OR present OR in\$1progress OR (real NEAR2 time))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:26
S26 7	1	(send\$3 OR query\$3 request\$3 OR demand\$3 OR command\$3) (media NEAR2 gateway) (lively OR active OR continuing OR current OR ongoing OR exist\$3 OR present OR in\$1progress OR (real NEAR2 time)) (connection OR session OR conference OR link OR communication) (data OR information OR record)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/08 16:26
S26 9	1970024 1	@ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:27

S27 0	8	S268 AND S269	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:35
S27 1	116	(call NEAR2 server)WITH (MG OR (media NEAR2 gateway))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:50
S27 3	148	(call NEAR2 (server OR manager)) WITH (MG OR (media NEAR2 gateway))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:50
S27 2	16	S271 AND S269	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:51
S27 4	37	S273 AND S269	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 16:51
S26 8	46	(send\$3 OR query\$3 request\$3 OR demand\$3 OR command\$3) (media NEAR2 gateway) (lively OR active OR continuing OR current OR ongoing OR exist\$3 OR present OR in\$1progress OR (real NEAR2 time)) (connection OR session OR conference OR link OR communication) (data OR information OR record)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:00
S27 5	19	S266 AND S274	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:15
S27 6	5	(call NEAR (server OR manager)) receiv\$3 active call information (real NEAR2 time)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:20

S27 8	40	(call NEAR (server OR manager)) receive\$3 call information (real NEAR2 time)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:20
S27 7	4	S276 AND S269	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:21
S27 9	24	S278 AND S269	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:28
S28 1	6	peg SAME (real NEAR time) SAME call SAME information	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:29
S28 0	74	peg SAME real NEAR time	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:38
S28 2	311	receive\$3 on\$1going call information	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/08 17:41
S28 3	49	receive\$3 on\$1going call information	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/08 17:41
S28 4	31	S283 and S269	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/08 17:41
S28 5	12	S284 AND (call NEAR2 (server OR manager))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/08 18:15

S28 6	2	("5742773").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/10 14:23
S28 7	4	((("5742773") or ("5859979")). PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/10 14:24
S28 8	8	((("5742773") or ("5859979") or ("5790648") or ("5621894"))). PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/10 14:36
S3	12926	(709/203,217,219,220,223, 227).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/12 14:11
S28 9	41	(call NEAR2 (server OR manager)NEAR6 bill\$3) SAME (gateway OR (media ADJ gateway))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/12 14:12
S21 9	1969387 9	@ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/12 14:13
S29 1	503	((379/2) or (379/11)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/04/12 15:25
S29 3	2	S291 AND S292	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 15:26
S29 2	844	monitor\$3 traffic call	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 15:28

S29 4	1	monitor\$3 traffic active call connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 15:29
S29 7	16	S296 AND (call NEAR2 (server OR manager))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 15:46
S29 6	45	(MG OR (media NEAR gateway))AND S295	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 15:59
S29 9	99	record maintain\$3 (active OR on\$1going OR pending) (media OR data OR communication) connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/12 15:59
S30 0	0	(MG OR (media NEAR gateway))AND S299	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 15:59
S30 2	3	gateway SAME S299	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:00
S30 1	20	gateway AND S299	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:07
S30 3	16	(call NEAR manager)SAME active SAME connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:24
S29 5	996	active call connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:25

S29 0	30	S289 AND @ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/12 16:26
S30 4	72	primary NEAR3 call NEAR2 (server OR manager)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:26
S30 5	9576	active NEAR2 connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:26
S30 6	1	S304 AND S305	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:26
S30 7	82	active NEAR2 call NEAR2 (server OR manager)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:26
S30 8	11	S305 AND S307	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/12 16:26
S30 9	9	S308 AND @ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/15 20:14
S31 0	34	send\$3 request (router OR switch OR gateway) (active OR ongoing OR pending)(connection OR session OR call)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/15 20:14
S31 3	194	S312 SAME (MG OR (media ADJ gateway))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/15 20:18

S31 1	19	S310 AND @ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/15 20:23
S31 5	42	S313 AND @ad<"20000929"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/15 20:24
L1	13	((("5430709") or ("5974114") or ("6363065") or ("6393481") or ("6570855") or ("6671262") or ("6674713") or ("6680952") or ("6735175") or ("6775267") or ("6778494") or ("6799210") or ("6832254"))).PN.	USPAT	OR	OFF	2005/04/17 17:56
L2	920	(370/216-219).CCLS.	USPAT	OR	OFF	2005/04/17 18:10
S31 2	11613	call NEAR2 (server OR manager)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/17 18:10
S29 8	3	record maintain\$3 (active OR on\$1going OR pending) (media OR data OR communication) connection	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/17 18:11
L3	9979	(call NEAR2 server)OR ((media ADJ gateway) OR (media ADJ gateway ADJ controller))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/17 18:12
L4	7990	active WITH standby	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/17 18:12
L5	19	3 SAME 4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/17 18:12
L6	3	2 AND 5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/17 18:13

S74	197	(379/221.03,221.04,221.05,9.04,9.05).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:33
L7	236	(379/221.03,221.04,221.05,9.04,9.05).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/04/17 18:34
L9	1	3 AND 4 AND 7	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/17 18:34